

Message

---

**From:** Stillman, Sarah [Stillman.Sarah@epa.gov]  
**Sent:** 4/3/2018 9:13:52 PM  
**To:** Dickens, Brian [dickens.brian@epa.gov]; Bishlawi, Randa [bishlawi.randa@epa.gov]; Gross, Louise C [gross.louise@epa.gov]  
**CC:** Schaufelberger, Daniel [schaufelberger.daniel@epa.gov]; Robinson, Randall [robinson.randall@epa.gov]  
**Subject:** FW: USG Red Wing, MN  
**Attachments:** USG Red Wing\_Letter CTDMPlus\_4-3-2018.pdf

Hi Brian,

Could you please forward this letter to Cory Boeck at MPCA?

Thank you very much.

Sarah

---

**From:** Stillman, Sarah  
**Sent:** Tuesday, April 03, 2018 4:13 PM  
**To:** 'Matthew E. Cohn' <mcohn@greensfelder.com>  
**Cc:** Schaufelberger, Daniel <schaufelberger.daniel@epa.gov>; Robinson, Randall <robinson.randall@epa.gov>  
**Subject:** USG Red Wing, MN

Good afternoon Matt,

Please find attached EPA's letter regarding the use of the CTDMPlus model at USG's Red Wing, MN plant.

Let me know if you have any questions or if you would like to set up a call to discuss further.

Best,

Sarah J. Stillman  
Office of Regional Counsel  
U.S. EPA Region 5  
(312) 886-3611  
[stillman.sarah@epa.gov](mailto:stillman.sarah@epa.gov)

CONFIDENTIAL: This email and any attachments may contain information that is privileged, confidential, or otherwise exempt or prohibited from disclosure under applicable law, and they are for the exclusive and confidential use of the intended recipient. If you are not the intended recipient, do not read, print, distribute, or take action in reliance upon this email: notify the sender immediately by return email and promptly delete or otherwise destroy the email and any attachments. U.S. EPA does not waive any privilege by transmission of this email.